

Extended Length Bulk Containers & Transport Tubs



Extended Length Bulk Containers and Transport Tubs are ideal for products such as automotive trim parts, hoses, pipes, harnesses and other long, awkwardly-shaped items.

- Solid, once-piece base for maximum strength and durability
- Available with up to 4 drop doors

Extra deep doors available on some models



BS644825




BS574834




BF574819XP

3 Footprints



4 Heights




*50" height available for 64.5" & 70" lengths only

Extended Length Transport Tubs

Contact Buckhorn for more options!

Extended Length Bulk Containers



- Samples available in Black, with one short-side door and one long-side door
- Other colors available, minimum order required

Model No.	Description	Dimensions						Weight lbs.	Capacity		Fork Tunnel Dimensions				Return Ratio	Truck Capacity				
		L"(A)	Outside W"(B)	H"(C)	L"(D)	Inside W"(E)	H"(F)*		Weight lbs.	Volume cu.ft.	57, 64, & 70" side W"(G)	H"(H)	48" side W"(I)	H"(J)		48' Opened	48' Collapsed	53' Opened	53' Collapsed	
BS574825	57.25" x 48"	57.25	48	25	53.5	44.5	17.6	143	2000	24.25	181	10.2	3.2	10.8	3.2	1.8:1	76	152	88	176
	mm/kg/m ³ /l	1454	1219	635	1359	1130	447	65	907	.687	687	259	81	274	81	—	—	—	—	—
BS574834	57.25" x 48"	57.25	48	34	53.5	44.5	26.6	171	2000	36.65	274	10.2	3.2	10.8	3.2	2.5:1	57	152	66	176
	mm/kg/m ³ /l	1454	1219	864	1359	1130	676	78	907	1.038	1038	259	81	274	81	—	—	—	—	—
BS574844	57.25" x 48"	57.25	48	44	53.5	44.5	36.6	195	2000	50.43	377	10.2	3.2	10.8	3.2	1.8:1	38	76	44	88
	mm/kg/m ³ /l	1454	1219	1118	1359	1130	930	88	907	1.428	1428	259	81	274	81	—	—	—	—	—
BS644825	64" x 48"	64	48	25	60.8	44.5	17.6	157	2000	27.56	206	10.2	3.2	10.8	3.2	1.8:1	68	136	76	152
	mm/kg/m ³ /l	1626	1219	635	1544	1130	447	71	907	.780	780	259	81	274	81	—	—	—	—	—
BS644834	64.5" x 48"	64.5	48	34	60.8	44.5	26.6	183	2000	41.65	312	10.2	3.2	10.8	3.2	2.5:1	51	136	57	152
	mm/kg/m ³ /l	1638	1219	864	1544	1130	676	83	907	1.179	1179	259	81	274	81	—	—	—	—	—
BS644844	64.5" x 48"	64.5	48	44	60.8	44.5	36.6	210	2000	57.31	429	10.2	3.2	10.8	3.2	1.8:1	34	68	38	76
	mm/kg/m ³ /l	1638	1219	1118	1544	1130	930	95	907	1.623	1623	259	81	274	81	—	—	—	—	—
BS644850	64.5" x 48"	64.5	48	50	60.8	44.5	42.6	234	2000	66.70	499	10.2	3.2	10.8	3.2	2.1:1	34	68	38	76
	mm/kg/m ³ /l	1638	1219	1270	1544	1130	1079	106	907	1.889	1889	259	81	274	81	—	—	—	—	—
BS704825	70" x 48"	70	48	25	66.3	44.5	17.6	172	2000	30.05	225	10.2	3.2	10.8	3.2	1.8:1	64	112	72	126
	mm/kg/m ³ /l	1778	1219	635	1684	1130	447	78	907	.851	851	259	81	274	81	—	—	—	—	—
BS704834	70" x 48"	70	48	34	66.3	44.5	26.6	195	2000	45.42	340	10.2	3.2	10.8	3.2	2.5:1	48	112	54	126
	mm/kg/m ³ /l	1778	1219	864	1684	1130	676	88	907	1.286	1286	259	81	274	81	—	—	—	—	—
BS704844	70" x 48"	70	48	44	66.3	44.5	36.6	221	2000	62.49	467	10.2	3.2	10.8	3.2	1.8:1	32	64	36	72
	mm/kg/m ³ /l	1778	1219	1118	1684	1130	930	100	907	1.770	1770	259	81	274	81	—	—	—	—	—
BS704850	70" x 48"	70	48	50	66.3	44.5	42.6	248	2000	72.73	544	10.2	3.2	10.8	3.2	2.1:1	32	64	36	72
	mm/kg/m ³ /l	1778	1219	1270	1684	1130	1079	113	907	2.059	2059	259	81	274	81	—	—	—	—	—

Transport Tubs

- For extra-long, dense loads
- Stack-only tubs eliminate the waste of shipping "air" from using taller containers, and feature a steel runner on the base to add strength for stacking
- Options: Custom colors, dunnage, ID systems, RFID
See page 23

Model No.	Description	Dimensions						Weight lbs.	Capacity		Fork Tunnel Dimensions				Return Ratio	Truck Capacity				
		L"(A)	Outside W"(B)	H"(C)	L"(D)	Inside W"(E)	H"(F)*		Weight lbs.	Volume cu.ft.	57, 64, & 70" side W"(G)	H"(H)	48" side W"(I)	H"(J)		48' Opened	48' Collapsed	53' Opened	53' Collapsed	
BF574817XP	57.25" x 48"	57.25	48	17.5	53.5	44.5	10.1	119	2000	13.92	104	10.2	3.2	10.8	3.2	1:1	114	114	132	132
	mm/kg/m ³ /l	1454	1219	445	1359	1130	257	54	907	.394	394	259	81	274	81	—	—	—	—	—
BF574819XP	57.25" x 48"	57.25	48	19.6	53.5	44.5	12.2	125	2000	16.81	126	10.2	3.2	10.8	3.2	1:1	95	95	110	110
	mm/kg/m ³ /l	1454	1219	498	1359	1130	310	57	907	.476	476	259	81	274	81	—	—	—	—	—
BF644817XP	64.5" x 48"	64.5	48	17.5	60.8	44.5	10.1	132	2000	15.81	118	10.2	3.2	10.8	3.2	1:1	102	102	116	116
	mm/kg/m ³ /l	1638	1219	445	1544	1130	257	60	907	.448	448	259	81	274	81	—	—	—	—	—
BF644819XP	64.5" x 48"	64.5	48	19.6	60.8	44.5	12.2	139	2000	19.10	143	10.2	3.2	10.8	3.2	1:1	85	85	95	95
	mm/kg/m ³ /l	1638	1219	498	1544	1130	310	63	907	.541	541	259	81	274	81	—	—	—	—	—
BF704817XP	70" x 48"	70	48	17.5	66.3	44.5	10.1	138	2000	17.24	129	10.2	3.2	10.8	3.2	1:1	96	96	108	108
	mm/kg/m ³ /l	1778	1219	445	1684	1130	257	63	907	.488	488	259	81	274	81	—	—	—	—	—
BF704819XP	70" x 48"	70	48	19.6	66.3	44.5	12.2	146	2000	20.83	156	10.2	3.2	10.8	3.2	1:1	80	80	90	90
	mm/kg/m ³ /l	1778	1219	498	1684	1130	310	66	907	.590	590	259	81	274	81	—	—	—	—	—

Lids

- Optional, load bearing vacuum-formed lids protect contents

Model No.	Description	Dimensions						Weight lbs.	Capacity		Fork Tunnel Dimensions				Return Ratio	Truck Capacity				
		L"(A)	Outside W"(B)	H"(C)	L"(D)	Inside W"(E)	H"(F)*		Weight lbs.	Volume cu.ft.	57, 64, & 70" side W"(G)	H"(H)	48" side W"(I)	H"(J)		48' Opened	48' Collapsed	53' Opened	53' Collapsed	
TV574802	Lid (VF)	58	49	2	—	—	—	18	—	—	—	—	—	—	—	—	—	—	—	—
	mm/kg/m ³ /l	1473	1245	51	—	—	—	8	—	—	—	—	—	—	—	—	—	—	—	—
TV644802	Lid (VF)	65	49	2	—	—	—	21	—	—	—	—	—	—	—	—	—	—	—	—
	mm/kg/m ³ /l	1651	1245	51	—	—	—	10	—	—	—	—	—	—	—	—	—	—	—	—
TV704802	Lid (VF)	71	49	2	—	—	—	22	—	—	—	—	—	—	—	—	—	—	—	—
	mm/kg/m ³ /l	1803	1245	51	—	—	—	10	—	—	—	—	—	—	—	—	—	—	—	—

*Internal usable height allows for 1" nest if another container placed on top. Check with Buckhorn for suitability in your application. Specifications subject to change without notice. All dimensions are approximate. (VF) = Vacuum Formed Bulk Container capacities are based on equally distributed loads. Elevated temperatures and concentrated loads may affect capacity. Capacity is dependent upon application and use environment. Note: Model numbers do not indicate drop doors. Please specify number of drop doors when ordering. Drop doors may affect stock status.

[S] = In Stock Items



XT "XYTEC" SERIES COLLAPSIBLE BULK CONTAINERS

Buckhorn is pleased to offer its newest line of collapsible bulk containers: the Buckhorn XT Series, formerly the "Xytec" brand, acquired from Schoeller Arca Systems.

These containers incorporate all of the exceptional qualities that make Buckhorn containers an unsurpassed value: durable structural foam construction, ease of use, a wide range of options, and unmatched customer support. These containers give you much more than just the cost and environmental advantages of collapsible plastic containers over disposable alternatives. Designed with customer needs in mind, Buckhorn XT containers can be easily and safely collapsed/erected, transported, and loaded/unloaded – making your material handling operations more efficient!

The XT line consists of the 3230, 4840, 4845, HighWall containers, and the EL Extended Length containers. Applications include automotive, manufacturing, food and agriculture, petrochemicals, pharmaceuticals, textiles, and beyond.



Collapsible Bulk Containers

EL 100" x 48" x 34"
w/ 4 Access Doors



EL

Extended Length

EL 65" x 30" x 34"
w/ 2 Access Doors

The EL container is created by a thermal bonding process. This process enables Buckhorn to provide collapsible containers in a variety of lengths and heights. All features available on other Buckhorn models can be provided with an EL container. With so much to choose from, you can specify a container that will fit and adapt to your individual material handling needs. The versatility of the EL container makes it a valuable member of the Buckhorn XT family. This extended length option offers a return ratio of up to 3:1 and is available in standard color of black.

Range of sizes: Base: 36" x 24" to 110" x 48"
Height: 17" to 66"

Standard Color: Black

Applications: - Awkward objects
- Automotive trim parts
- Hoses
- Pipes
- Harnesses
- Fuel lines
and much more

- Additional sizes are available.
Please contact a Buckhorn representative for your specific needs.
- All applications should be reviewed with a Buckhorn sales representative.
- Maximum weight: 1000 lbs. for evenly distributed, rigid loads.
- Reinforced products are available for heavier applications.

See our full line product catalog for one piece molded Extended Length bulk boxes in 57.25" x 48", 64.5" x 48" and 70" x 48" footprints.



DOOR COMBINATIONS

The EL is available with many door combinations.



RETURN RATIO

This EL container offers a return ratio of up to 3:1.

Features & Benefits

Buckhorn XT Series Containers

AUTOLOCK CLIPS



Spring loaded, sliding latches automatically lock hinged sidewalls and access doors. A gentle squeeze on the easy-to-grip autolock releases the mechanism.

EASY FORKLIFT ACCESS



XT Series containers feature beveled fork entries. All provide a minimum of 4-way forklift and 2-way pallet jack access for efficient and secure handling in tight warehouse spaces.

INTERLOCKING CORNERS



A patented interlock design strengthens corners for durability under rough handling.

MOLDED-IN HINGES



XT containers feature a molded-in hinge design without metal or plastic hinge rods.

SECURE STACKING



Positive interlock ensures safe, self-supporting stacks of erected or collapsed containers in storage or in transport.

REPLACEABLE FORK STRAPS



The bases of the BY-style containers feature a unique two-part fully replaceable fork strap system that is interchangeable and can be replaced independently. This system significantly reduces maintenance costs, avoiding the need for replacing the entire base if damaged.

HIGH RETURN RATIO



Depending on the height, XT containers can save up to 60% of their original volume when collapsed. This feature reduces warehouse and storage requirements and allows cost-effective return shipping.

HIGH-STRENGTH BASE



The base of the XT container line is designed to efficiently transfer content weight to the corners, thus allowing secure stacking of fully loaded containers. Optional vented base designs provide air ventilation and drainage.

EFFICIENT CUBING



Standard, internationally accepted footprints and heights mean optimal cubing of truck trailers, rail cars, and sea containers. Please see specifications for cubing quantities.

EASY MAINTENANCE



A flat head screwdriver is all you need to replace most parts of an XT container. Sidewalls can be easily retrofitted to different height and door configurations.



A variety of performance-enhancing bulk box options and accessories offer increased versatility. Not all options are available on every product.

For more information please call 866-333-0728




Special Colors

Containers are available in many custom colors and configurations. Consult your Buckhorn representative about your needs and information on order quantities required for custom colors.



Custom Dunnage

Custom interior dunnage offers additional part protection and separation, surface and ESD protection, specific part orientation, better inventory control, improved ergonomics and lower packaging costs.



Extension Rings

Available on Heavy-Duty and Industry Standard 48" x 45" and XT Series Highwall models, optional 7" and 10" height extension rings (shaded, left) may be configured to create various heights for oversized loads.



Dollies

Steel dollies easily move Bulk Containers without the use of a forklift or pallet jack and are available for all footprints.



Identification Systems

Buckhorn bulk containers have a variety of options for easy product identification, tracking and inventory control, including plastic ID tags, cardholders, molded-in logo applications, bar coding and RFID.



Side Gravity Door

Side gravity door allows small parts or granular products to dispense easily. Available on select 48" x 40" and 32" x 30" models.



Drop Doors

Buckhorn Bulk Containers offer up to four optional access doors to allow easy access to contents. See product specifications for details.



Tamper Evident Closure

Select Bulk Container models are designed to be used with tamper evident seals. Consult your Buckhorn sales representative for details.

Enhance Your Profitability with More of Buckhorn's Extensive Bulk Container Selection!

Intermediate Bulk Containers



For safe, secure liquid handling. Collapsible, cost effective, hygienic, durable and reusable containers. Featuring the **Citadel™**, **Citadel-v™** and the **NEW Caliber™** line! See pages 40-43 for details.

Stack-Only Bulk Containers



Buckhorn's NEW Big Box Series, the fixed-wall, durable and adaptable containers that are FDA approved. Ideal for handling agricultural, fishery and food processing demands, as well as chemical, resin, textile and countless others! See page 44 for details.