



Model
NBB-2448-8PYBK

Heavy-Duty Platform Trucks

Capacities to 3600 lbs.

Sturdy all-welded unit is constructed of a formed 12 gauge steel deck with extra reinforcement on underside. Removable pipe handle is 1-5/16" OD and has two cross braces. Two swivel and two rigid casters with choice of wheels. Durable powder coated finish. Ships fully assembled and ready for use.



Floor Lock Option

Deck Size	6" x 2" MOLD-ON RUBBER 2000 lbs. Capacity		8" x 2" MOLD-ON RUBBER 2400 lbs. Capacity		8" x 2" POLYURETHANE NON-MARKING TREAD with Wheel Brakes* 3600 lbs. Capacity	
	Model No.	Wt.	Model No.	Wt.	Model No.	Wt.
24 x 36	NBB-2436-6MR	84	NBB-2436-8MR	88	NBB-2436-8PYBK	79
24 x 48	NBB-2448-6MR	95	NBB-2448-8MR	99	NBB-2448-8PYBK	90
24 x 60	NBB-2460-6MR	115	NBB-2460-8MR	119	NBB-2460-8PYBK	110
30 x 48	NBB-3048-6MR	115	NBB-3048-8MR	119	NBB-3048-8PYBK	110
30 x 60	NBB-3060-6MR	127	NBB-3060-8MR	131	NBB-3060-8PYBK	125
30 x 72	NBB-3072-6MR	140	NBB-3072-8MR	144	NBB-3072-8PYBK	135
36 x 60	NBB-3660-6MR	141	NBB-3660-8MR	145	NBB-3660-8PYBK	136
36 x 72	NBB-3672-6MR	157	NBB-3672-8MR	161	NBB-3672-8PYBK	152

OPTIONS: Floor Lock **-FL**, Wheel Brakes **-BK**
Extra handles, fixed handle, pipe stakes, and other superstructures also available.

* Note: Wheel brakes are not intended to stop moving equipment, or for use on ramps or inclines.

Platform Trucks with Rolling Bumpers

3600 lbs. Capacity

Heavy-duty formed 12 gauge steel deck with extra underside reinforcements. Rolling bumpers offer great wall and door protection. Removable pipe handle is 1-5/16" OD and has two cross braces to help retain load. Two rigid and two swivel 8" non-marking polyurethane casters with wheel brakes. Durable powder coated gray finish. Ships fully assembled and ready for immediate use.

Deck Size	Rolling Bumpers	
	Model No.	Wt.
24 x 36	NCB-2436-8PYBK	80
24 x 48	NCB-2448-8PYBK	91
24 x 60	NCB-2460-8PYBK	111
30 x 48	NCB-3048-8PYBK	111
30 x 60	NCB-3060-8PYBK	126



Model
NCB-2448-8PYBK



Rolling
Bumpers

Distributed by: Custom Equipment Company
866-333-0728
sales@custommhs.com
www.custommhs.com



Heavy-Duty Platform Trucks

Capacities to 5000 lbs.

Trucks are formed into a solid unit with a 12 gauge steel deck welded to a structural steel frame. Sturdy removable pipe handle extends 29" above deck. Axle mounted load wheels are 12" x 2-1/2", swivel caster wheels are 8" x 2". Deck height 16-1/2".

Deck Size	RUBBER TIRED WHEELS 3000 lbs. Capacity		POLYURETHANE WHEELS 4000 lbs. Capacity		PHENOLIC WHEELS 5000 lbs. Capacity	
	Model No.	Wt.	Model No.	Wt.	Model No.	Wt.
24 x 48	NBH-2448-MR	161	NBH-2448-PU	177	NBH-2448-PH	163
30 x 48	NBH-3048-MR	170	NBH-3048-PU	186	NBH-3048-PH	172
30 x 60	NBH-3060-MR	181	NBH-3060-PU	197	NBH-3060-PH	188
30 x 72	NBH-3072-MR	190	NBH-3072-PU	207	NBH-3072-PH	192
36 x 60	NBH-3660-MR	192	NBH-3660-PU	208	NBH-3660-PH	194
36 x 72	NBH-3672-MR	205	NBH-3672-PU	221	NBH-3672-PH	207



Model
NBH-2448-PU

Cushion-Load Platform Trucks

Ideal for use over rough and uneven floor surfaces. 4-ply full pneumatic wheels absorb shock and reduce vibration. Inflation pressure of pneumatic tires can be adjusted to provide desired level of cushion. Solid rubber wheels are puncture-proof. Removable crossbar handle and 2 rigid, 2 swivel casters. Welded steel construction with powder coated finish ships fully assembled.

Deck Size	9" x 3" PNEUMATIC 1200 lbs. Capacity		10" x 3.5" PNEUMATIC 1500 lbs. Capacity		10" x 2.75" SOLID RUBBER 1500 lbs. Capacity	
	Model No.	Wt.	Model No.	Wt.	Model No.	Wt.
24 x 36	NBB-2436-9P	90	NBB-2436-10P	98	NBB-2436-10SR	104
24 x 48	NBB-2448-9P	104	NBB-2448-10P	112	NBB-2448-10SR	118
24 x 60	NBB-2460-9P	113	NBB-2460-10P	121	NBB-2460-10SR	127
30 x 48	NBB-3048-9P	113	NBB-3048-10P	121	NBB-3048-10SR	127
30 x 60	NBB-3060-9P	131	NBB-3060-10P	139	NBB-3060-10SR	145
30 x 72	NBB-3072-9P	145	NBB-3072-10P	150	NBB-3072-10SR	157
36 x 72	NBB-3672-9P	150	NBB-3672-10P	159	NBB-3672-10SR	165



Model
NBB-2448-10SR

High-Deck Cushion Load Platform Trucks

2500 lbs. Capacity

Built for heavier service and larger loads, these pneumatic tired steel platform trucks feature axle mounted load wheels with 1" roller bearings, and heavy service swivel caster brackets. Larger wheels increase mobility over the roughest terrain. High platform minimizes bending when loading.

Deck Size	Deck Height 21" Load Wheels 16" dia. Caster Wheels 12" dia.	
	Model No.	Wt.
24 x 48	BB2448B	160
30 x 48	BB3048B	180
30 x 60	BB3060B	200
36 x 60	BB3660B	210
36 x 72	BB3672B	230



Model
BB3060B



**Model
T700-1H**



Steel Deck Platform Trucks

1200 lbs. and 1600 lbs. Capacity

Fully assembled and ready for use, these all-welded steel platform trucks are built for long, trouble-free service in medium duty applications. Removable cross-brace handle extends 28" high above the reinforced formed steel deck. Available with either 6" mold-on rubber or 5" non-marking polyurethane casters. Available with flush or lipped deck.

Flush Deck Size	6" x 2" MOLD-ON RUBBER 1600 lbs. Capacity		5" POLYURETHANE 1200 lbs. Capacity	
	Model No.	Wt.	Model No.	Wt.
18 x 32	T500-1H	61	T700-1H	39
24 x 36	T510-1H	71	T710-1H	48
24 x 48	T520-1H	80	T720-1H	56
24 x 60	T530-1H	88	T730-1H	63

Lipped Deck Size	6" x 2" MOLD-ON RUBBER 1600 lbs. Capacity		5" POLYURETHANE 1200 lbs. Capacity	
	Model No.	Wt.	Model No.	Wt.
18 x 32	T500-LU	61	T700-LU	39
24 x 36	T510-LU	71	T710-LU	48
24 x 48	T520-LU	80	T720-LU	56
24 x 60	T530-LU	88	T730-LU	63

Quick-Turn Platform Trucks

Diamond caster pattern with center-mounted rigid casters allows for tighter turning radius and added maneuverability. Welded steel deck with removable handle. All trucks feature 5" non-marking polyurethane casters.

Deck Size	5" POLYURETHANE 1000 lbs. Capacity	
	Model No.	Wt.
24 x 36	T710-DIA-1H	48
24 x 48	T720-DIA-1H	56
24 x 60	T730-DIA-1H	63

Platform Truck with Perforated Deck

Smooth 12 gauge perforated deck allows unwanted debris and moisture to pass through. Available with 1-1/2" lip, or flush edges. Removable pushbar handle with 2 swivel, 2 rigid casters. All-welded construction, ships fully assembled. Durable powder coated finish.



Deck W x L	Flush Edge	Lip Edge	Wt.
1200 lbs. Capacity, 5" x 1-1/4" Polyurethane casters			
24 x 36	T-710-P-1H-UPS	T-710-P-LU-UPS	44
24 x 48	T-720-P-1H-UPS	T-720-P-LU-UPS	50
1600 lbs. Capacity, 6" x 2" Mold-On Rubber Casters			
24 x 36	T-510-P-1H	T-510-P-LU	44
24 x 48	T-520-P-1H	T-520-P-LU	50



3-inch Lip Edge Platform Trucks

1200 lbs. Capacity

Fully assembled and ready for use, these all-welded steel platform trucks feature a formed steel deck with 3" lips for better load retention. Removable cross-brace handle. 2 swivel and 2 rigid 5" non-marking polyurethane casters.

Deck Size W x L	Model No.	Wt.
18 x 32	T700-X3	43
24 x 36	T710-X3	53
24 x 48	T720-X3	62

Model
T700-X3



3-inch Lip Edge Platform Truck

The formed steel 12 gauge deck has 3" high lips for better load retention. All-welded construction and ready for immediate use. Removable pushbar handle with 2 swivel and 2 rigid casters. Durable powder coated finish.

6" x 2" POLYURETHANE 3600 lbs. Capacity		
Deck Size W x L	Model No.	Wt.
24 x 36	NBX3-2436-6PY	83
24 x 48	NBX3-2448-6PY	95
30 x 60	NBX3-3060-6PY	127



Model
NBX3-2448-6PY

Platform Truck with Top Shelf

1200 lbs. Capacity

This all-welded platform trucks features a convenient half-depth upper shelf with a 250 lb. load capacity. The unique design allows for easy access to contents on lower platform. Ergonomic kickback style handle is designed for added comfort while operating. 20-1/2" shelf clearance. 2 swivel and 2 rigid, 5" non-marking polyurethane casters. Durable powder coated finish.

Deck Size W x L	Shelf Size W x L	Model No.	Wt.
24 x 36	24 x 18	LF-2436-5PY	72
24 x 48	24 x 24	LF-2448-5PY	87
24 x 60	24 x 30	LF-2460-5PY	106
30 x 48	30 x 24	LF-3048-5PY	102
30 x 60	30 x 30	LF-3060-5PY	124



Model
LF-2448-5PY



"Combo Cart" Combination Shelf and Platform Truck

1200 lbs. Capacity

This unique cart combines the storage capacity of multiple shelves with the utility of an open deck platform truck. All-welded construction with 12 gauge steel deck and shelves for optimum strength. Clearance between shelves is 12", overall height is 36". 2 swivel and 2 rigid 5" x 1-1/4" polyurethane casters with wheel brakes. Durable powder coated finish.

Platform Size W x L	Shelf Size W x L	Model No.	Wt.
24 x 48	24 x 22-1/2	CC-2448-5PYBK	84
30 x 60	30 x 26-1/2	CC-3060-5PYBK	157



Model
CC-2448-5PYBK



Model
DR-3048-6PY

Double End Rack Platform Truck

Welded steel construction with 2 removable lattice-style end racks. End racks extend 36" above the deck. Ideal for bulky packages and roll goods. 12 gauge reinforced steel deck - 9" deck height. Rolls quietly on 2 swivel and 2 rigid casters with non-marking 6" x 2" polyurethane wheels. Sturdy 3600 lbs. capacity.

Deck Size	Model No.	Wt.
24 x 48	DR-2448-6PY	108
24 x 60	DR-2460-6PY	121
30 x 48	DR-3048-6PY	123
30 x 60	DR-3060-6PY	138
30 x 72	DR-3072-6PY	153



Optional Floor Lock -FL



Model
DRB-3048-6PY

Double End Rack Platform Truck with Side Rack

3600 lbs. Capacity

Heavy-duty platform truck enclosed on three sides with removable side and end racks for the ultimate in configurable load carrying. 12 gauge powder coated steel deck measures 9" from the floor. The two removable end racks measure 36" high from the deck surface. The side rack extends 24" from the deck. Rolls smoothly on 2 swivel and 2 rigid casters with 6" x 2" non-marking polyurethane wheels.

Deck Size	Model No.	Wt.
24 x 48	DRB-2448-6PY	126
24 x 60	DRB-2460-6PY	142
30 x 48	DRB-3048-6PY	142
30 x 60	DRB-3060-6PY	159



Model
NBB-2448-8PY-2H

Double Handle Platform Truck

2000 lbs. to 3600 lbs. Capacity

Handles at both ends for load retention and versatility. Sturdy all-welded unit is constructed of a formed 12 gauge steel deck with extra reinforcement on the underside. Two removable pipe handles are 1-5/16" O.D. and have two cross-braces. Two swivel and two rigid casters with 8" non-marking polyurethane wheels. Durable powder coated finish. Ships fully assembled and ready for use.

8" x 2" POLYURETHANE 3600 lbs. Capacity		
Deck Size	Model No.	Wt.
24 x 36	NBB-2436-8PY-2H	93
24 x 48	NBB-2448-8PY-2H	104
24 x 60	NBB-2460-8PY-2H	124
30 x 48	NBB-3048-8PY-2H	125
30 x 60	NBB-3060-8PY-2H	140
30 x 72	NBB-3072-8PY-2H	150
36 x 60	NBB-3660-8PY-2H	152
36 x 72	NBB-3672-8PY-2H	168



High-End Platform Truck

With Non-Marking Polyurethane Wheels

2000 lbs. Capacity

Narrow 16" wide steel deck is ideal for busy aisles, or 24" for more loading capacity. Six-wheel design is fully maneuverable with two 8" x 2" rigid center wheels, and four 5" corner mounted swivel casters with ball bearing wheels. All wheels are non-marking polyurethane tread for added maneuverability. Two removable pipe handles extend 48" above the deck for taller loads, which means fewer trips.

Deck Size	Model No.	Wt.
16 x 48	HE-1648	105
16 x 60	HE-1660	115
16 x 72	HE-1672	124
24 x 48	HE-2448	124
24 x 60	HE-2460	188



Model HE-1648

High-End Platform Truck

1500 lbs. Capacity

Ideal for narrow aisles and tight corners, this Little Giant high end platform truck features a narrow 16 inch, 12 gauge steel deck. The six-wheel design provides a zero turning radius. Two 6" rigid center wheels and four 5" swivel casters with ball bearing wheels for added maneuverability. All wheels are non-marking polyurethane. Two removable pipe handles extend 48" above the deck.

Deck Size	Model No.	Wt.
16 x 48	HEE-1648	96
16 x 60	HEE-1660	103



Model HEE-1648

6-Wheel Platform Trucks

3600 lbs. Capacity

Reinforced 12 gauge steel deck has center mounted rigid casters for a tighter turning radius. Swivel casters under all 4 corners provide greater load support and stability. Removable pipe handle with cross braces extends 29" high above the deck. All wheels are 6" x 2" non-marking polyurethane. Also available in a 2 handle model.

Deck Size	1 HANDLE MODEL		2 HANDLE MODEL	
	Model No.	Wt.	Model No.	Wt.
24 x 48	NB6W-2448-6PY	114	NB6W2448-6PY-2H	128
24 x 60	NB6W-2460-6PY	124	NB6W2460-6PY-2H	138
30 x 48	NB6W-3048-6PY	130	NB6W3048-6PY-2H	145
30 x 60	NB6W-3060-6PY	149	NB6W3060-6PY-2H	164
30 x 72	NB6W-3072-6PY	167	NB6W3072-6PY-2H	182
36 x 60	NB6W-3660-6PY	162	NB6W3660-6PY-2H	178
36 x 72	NB6W-3672-6PY	182	NB6W3672-6PY-2H	198



Model NB6W-2448-6PY

Model NB6W2448-6PY-2H



Caster Steer Trailers

2000 lbs. Capacity

This versatile unit can be used as an independent platform truck for manual order picking and then quickly connected into a train of trailers. The caster steer design means wheels stay under the load at all times, providing better stability with unevenly distributed loads. The two swivel casters rotate 360°, providing excellent maneuverability even in tight areas.



Model
CS-3060-8MRHD

- Reinforced 12 gauge steel deck is 11" high
- 8" x 2" mold-on rubber wheels with cast iron centers and roller bearings
- Removable pipe rack/pushbar handle extends 29" above the deck
- Ring drawbar stays in upright position for manual operation as a platform truck
- Pin and clevis coupler at rear

Pin & Clevis Rear Coupler



Versatile ring type wishbone coupler with 2-1/2" I.D. ring can also be used with most pintle hitches.

Wishbone half of coupler stands upright when not in use.

Deck Size	Model No.	Wt.
30 x 60	CS-3060-8MRHD	160
30 x 72	CS-3072-8MRHD	175
36 x 60	CS-3660-8MRHD	178
36 x 72	CS-3672-8MRHD	195

Caster Steer Wagon

2000 lbs. Capacity

Built with a "T"-style pull handle for ergonomics and maneuverability. All-welded unit is constructed of a formed 12 gauge steel deck with 1-1/2" lip and extra reinforcement on the underside. Two swivel and two rigid casters with 8" x 2" mold-on rubber wheels. Handle pivots up and down and has vinyl hand grips. Durable powder coated finish.



Model
CSW-3060-8MR

Bed Size	Model No.	Wt.
24 x 48	CSW-2448-8MR	80
30 x 48	CSW-3048-8MR	91
30 x 60	CSW-3060-8MR	111
30 x 72	CSW-3072-8MR	122
36 x 60	CSW-3660-8MR	135
36 x 72	CSW-3672-8MR	136