STOCK PROGRAM

INDUSTRY'S LARGEST QUICK-SHIP PROGRAM

THE FASTEST SHIPPING IN THE INDUSTRY...

For More Information: 866-333-0728

Our National QUICK-SHIP Program is the largest of it's kind in the material handling industry.

Our six distribution centers are strategically located to allow for localized distribution. All Hallowell distribution centers are company owned and operated to insure your orders are properly prioritized and that all operations are per our company philosophy.

Our unparalleled array of products and services assures that your order will ship fast and secure while saving you time and money on shipping costs. Logistics, service and product offering is what positions Hallowell at the forefront of the industry.




QUICK-SHIP Cabinets

Cabinets are engineered above industry standards. With multiple colors, styles, sizes and accessories, we are confident we can be your one-stop cabinet supplier. Specialty cabinets offering corrosion resistance, antimicrobial properties or textured finish help you to offer your customer products targeted specifically to their needs.

QUICK-SHIP Workbenches Workbenches Our new Ft. Knox Modular utility Storage System combines shelving, cabinets, workbenches and lockers to create a functional, durable and customizable work center. Our unique textured two-tone powder coat process provides and attractive durable protective finish.

QUICK-SHIP Lockers Lockers are available in 25 different styles comprised of more than 1,200 SKUs which allows you the benefit of selecting a locker to meet your specific storage needs. A complete line of locker accessories is available from stock to help you complete your locker system. Order your lockers to ship fully-assembled to take full advantage of our expertise. Your lockers will be packaged above industry standards to insure a safe arrival.

All Products In-Stock



Custom Equipment Company Tom McGovern, 866-333-0728 Sales: tom@custommhs.com www.custommhs.com

STOCK PROGRAM

THE FASTEST SHIPPING IN THE INDUSTRY...

YEAR

FOR REALLY TOUGH INDUSTRIAL APPLICATIONS

For More Information: 866-333-0728

Classic and Galvanite™ Series All-Welded Cabinets

Classic Series cabinets are fabricated from prime grade cold rolled sheet steel.

Galvanite Series cabinets are fabricated from galvannealed sheet steel which has a zinc-iron alloy coating that is applied at the mill providing protection against high-humidity and moist environments. This coating also prevents corrosion from spreading when the paint and/or coating is scratched away.

Heavy-Duty cabinets are fabricated from 16 gauge sheet steel and are fully-welded creating a rigid, durable unit.

Extra Heavy-Duty cabinets are fabricated from 14 gauge steel which is 25% thicker than 16 gauge providing MAXIMUM durability.

Safety-View® Series cabinets incorporate polycarbonate panels in both doors of our extra heavy-duty Classic Series cabinets allowing contents to be visible without compromising security.

Ventilated Series cabinets are fabricated to the same rugged standards as our extra heavy-duty Classic Series cabinets with the added benefit of being fully ventilated with diamond perforated doors and sides and a 13 gauge flattened expanded metal back.



Combination Cabinet



Storage Cabinet



Safety-View Cabinet



Ventilated Cabinet



CLASSIC & GAVANITE SERIES Steel Cabinets

Hallowell

DuraTough™ Classic Series

Catalog Number	Туре	Width (In)	Depth (In)	Height (In)	No. of Shelves
HEAVY-DUTY-16	GAUGE				
HW6SC6142-2CL	Storage	36	21	42	2
HW6SC6160-3CL	Storage	36	21	60	3
HW6SC6178-4CL	Storage	36	21	78	4
HW6SC6478-4CL	Storage	36	24	78	4
HW6SC8460-3CL	Storage	48	24	60	3
HW6SC8478-4CL	Storage	48	24	78	4
HW6SC0478-4CL	Storage	60	24	78	4
HW6CC6478-4CL	Combination	36	24	78	4
HW6CC8478-4CL	Combination	48	24	78	4
HW6CC0478-4CL	Combination	60	24	78	4
ADDITIONAL SH	IELVES, HE	AVY-D	UTY-16	GAUG	E
HW6SCS61CL	Shelf	36	21		1
HW6SCS64CL	Shelf	36	24		1
HW6SCS84CL	Shelf	48	24		1
EXTRA HEAVY-D	UTY-14 GA	UGE			
HW4SC6142-2CL	Storage	36	21	42	2
HW4SC6160-3CL	Storage	36	21	60	3
HW4SC6178-4CL	Storage	36	21	78	4
HW4SC6478-4CL	Storage	36	24	78	4
HW4SC8460-3CL	Storage	48	24	60	3
HW4SC8478-4CL	Storage	48	24	78	4
HW4SC0478-4CL	Storage	60	24	78	4
HW4CC6478-4CL	Combination	36	24	78	4
HW4CC8478-4CL	Combination	48	24	78	4
HW4CC0478-4CL	Combination	60	24	78	4
ADDITIONAL SHEL	VES, EXTRA	HEAVY-	DUTY-1	4 GAUGE	
HW4SCS61CL	Shelf	36	21		1
HW4SCS64CL	Shelf	36	24		1
HW4SCS84CL	Shelf	48	24		1

CORROSION RESISTANT



DuraTough™ Galvanite Series

Catalog Number	Туре	Width (In)	Depth (In)	Height (In)	No. of Shelves
HEAVY-DUTY-16 G	AUGE				
HWG6SC6142-2CL	Storage	36	21	42	2
HWG6SC6160-3CL	Storage	36	21	60	3
HWG6SC6178-4CL	Storage	36	21	78	4
HWG6SC6478-4CL	Storage	36	24	78	4
HWG6SC8460-3CL	Storage	48	24	60	3
HWG6SC8478-4CL	Storage	48	24	78	4
HWG6SC0478-4CL	Storage	60	24	78	4
HWG6CC6478-4CL	Combination	36	24	78	4
HWG6CC8478-4CL	Combination	48	24	78	4
HWG6CC0478-4CL	Combination	60	24	78	4
ADDITIONAL SHELV	/ES, HEAVY	-DUTY	-16 GAI	JGE	
HWG6SCS61CL	Shelf	36	21		1
HWG6SCS64CL	Shelf	36	24		1
HWG6SCS84CL	Shelf	48	24		
EXTRA HEAVY-DU	TY-14 GAL	JGE			
HWG4SC6142-2CL	Storage	36	21	42	2
HWG4SC6160-3CL	Storage	36	21	60	3
HWG4SC6178-4CL	Storage	36	21	78	4
HWG4SC6478-4CL	Storage	36	24	78	4
HWG4SC8460-3CL	Storage	48	24	60	3
HWG4SC8478-4CL	Storage	48	24	78	4
HWG4SC0478-4CL	Storage	60	24	78	4
HWG4CC6478-4CL	Combination	36	24	78	4
HWG4CC8478-4CL	Combination	48	24	78	4
HWG4CC0478-4CL	Combination	60	24	78	4
ADDITIONAL SHELVE				4 GAUGI	
HWG4SCS61CL	Shelf	36	21		1
HWG4SCS64CL	Shelf	36	24		1
HWG4SCS84CL	Shelf	48	24		1

DuraTough™ Safety-View®

Catalog Number	Туре	Width (In)	Depth (In)	Height (In)	No. of Shelves	
HW4SVSC6478-4CL HW4SVSC8478-4CL	Storage Storage	36 48	24 24	78 78	4 4	

DuraTough™ Ventilated

Catalog Number	Туре	Width (In)	Depth (In)	Height (In)	No. of Shelves
HW4VSC6478-4CL	Storage	36	24	78	4
HW4VSC8478-4CL	Storage	48	24	78	4

PROGRAM STOCK


COMPLETE SELECTION OF LOCKER ACCESSORIES

THE FASTEST SHIPPING IN THE INDUSTRY...



TOPS






END CLOSURES FOR INDIVIDUAL **SLOPE TOPS**



SLOPE TOP FILLER



CLOSED FRONT AND SIDE BASE


Width	Depth	Height	Cat. No.	Color Selection			
INDIVIDIUAL SLOPE TOPS							
12	12	4	KISTT1212	PT, HG, MB, GM, MN			
12	15	5	KISTT1215	PT, HG, MB, GM, MN			
12	18	6	KISTT1218	PT, HG, MB, GM, MN			
15	15	5	KISTT1515	PT, HG			
15	18	6	KISTT1518	PT, HG			
15	21	7	KISTT1521	PT			
18	18	6	KISTT1818	PT, HG			
18 18	21 24	7 8	KISTT1821	PT, HG			
		DIVIDUAL SLOPE TOP	KISTT1824	PT			
END CLO	12	4	KISE12	PT, HG, MB, GM, MN			
	15	5	KISE15	PT, HG, MB, GM, MN			
	18	6	KISE18	PT, HG, MB, GM, MN			
	21	7	KISE21	PT, HG			
	24	8	KISE24	PT			
SLOPE TO		INDIVIDUAL SLOPE					
6	12	4	KSTF0612	PT, HG, MB, GM, MN			
6	15	5	KSTF0615	PT, HG, MB, GM, MN			
6	18	6	KSTF0618	PT, HG, MB, GM, MN			
12	12	4	KSTF1212	PT, HG, MB, GM, MN			
12	15	5	KSTF1215	PT, HG, MB, GM, MN			
12	18	6	KSTF1218	PT, HG, MB, GM, MN			
72	OUS SLOPE TO	4	CST1272	PT, HG, MB, GM, MN			
72	15	5	CST1272 CST1572	PT, HG, MB, GM, MN			
72	18	6	CST1872	PT, HG, MB, GM, MN			
		ONTINUOUS SLOPE TO		1 1, 110, MB, OM, MI			
	12	4	WCSE12	PT, HG, MB, GM, MN			
	15	5	WCSE15	PT, HG, MB, GM, MN			
	18	6	WCSE18	PT, HG, MB, GM, MN			
SLOPE TO	OP CORNER						
	12	12	STC12	PT, HG, MB, GM, MN			
	15	15	STC15	PT, HG, MB, GM, MN			
01.00==	18	18	STC18	PT, HG, MB, GM, MN			
	FRONT BASE		KOED40	DT UO MD OM MN			
12		6	KCFB12	PT, HG, MB, GM, MN			
15 18		6 6	KCFB15 KCFB18	PT, HG PT, HG			
	SIDE BASE	0	NUFD 10	г і, п у			
12	JIJE DAVE	6	KCSB12	PT, HG, MB, GM, MN			
15		6	KCSB15	PT, HG, MB, GM, MN			
18		6	KCSB18	PT, HG, MB, GM, MN			
21		6	KCSB21	PT, HG			
24		6	KCSB24	PT			



CONTINUOUS SLOPE TOP



END CLOSURES FOR CONTINUOUS SLOPE TOPS




SLOPE TOP CORNER


COMPLETE SELECTION OF LOCKER ACCESSORIES

Hallowel


Width	Depth	Height	Cat. No.	Color Selection
Z-BASE FRO	N 1 5	4	KZBF-N	PT, HG, MB, GM, MN
Z-BASE END	S	<u> </u>	NZDF-N	F I, HG, WB, GW, WN
L-DAGE LINE	12	4	KZBE12-N	PT, HG, MB, GM, MN
	15	4	KZBE15-N	PT, HG, MB, GM, MN
	18	4	KZBE18-N	PT, HG, MB, GM, MN
Z-BASE SPL	ICE			
3			KZBS-N	PT
TOP RECES	SED TRIM			
72		3	KRT-T	PT, HG, MB, GM, MN
	SED TRIM SPLI	3 3	VDT CC	DT HC MD CM MN
3 SIDE RECES	C TDIM	<u> </u>	KRT-SC	PT, HG, MB, GM, MN
3	J IKIM	63	KRT60L	PT
3		63	KRT60R	PT
3		75	KRT72L	PT, HG, MB, GM, MN
3		75	KRT72R	PT, HG, MB, GM, MN
COAT RODS				
12			KCR12	Plated
15			KCR15	Plated
18			KCR18	Plated
21			KCR21	Plated
24	d T D		KCR24	Plated
	ex and Two-Perso		KCR15L	Plated
FRONT FILL	ex and Two-Perso	on only)	KCR15R	Plated
6	ERJ	66	KFSF0666	PT
12		66	KFSF1266	PT
6		78	KFSF0678	PT, HG, MB, GM, MN
12		78	KFSF1278	PT, HG, MB, GM, MN
FILLER SLIP	JOINTS			, , , ,
		66	KG66	PT
		78	KG78	PT, HG, MB, GM, MN
UNIVERSAL			A F.0.4.0.0T.0	D.T.
FLAT TOP F	2	72	AF010272	PT
6	12		KFTF0612	PT, HG, MB, GM, MN
6	15		KFTF0612	PT, HG, MB, GM, MN
6	18		KFTF0618	PT, HG, MB, GM, MN
12	12		KFTF1212	PT, HG, MB, GM, MN
12	15		KFTF1215	PT, HG, MB, GM, MN
12	18		KFTF1218	PT, HG, MB, GM, MN
FLAT TOP C				
12	12		FTC12	PT, HG, MB, GM, MN
15	15		FTC15	PT, HG, MB, GM, MN
18	18 END PANELS		FTC18	PT, HG, MB, GM, MN
UNIVERSAL	12	60	KMP1260	PT, HG
	15	60	KMP1560	PT, HG
	18	60	KMP1860	PT, HG
	12	72	KMP1272	PT, HG, MB, GM, MN
	15	72	KMP1572	PT, HG, MB, GM, MN
	18	72	KMP1872	PT, HG, MB, GM, MN
	21	72	KMP2172	PT, HG
	24	72	KMP2472	PT




RECESSED TRIM




FRONT FILLER AND SLIP JOINT



FLAT TOP FILLER



FLAT TOP CORNER





Z-BASE FRONTS,

ENDS, SPLICE

BENCHES, PEDESTALS AND LOCKS



4805 Steel Pedestal

Fabricated from 10 gauge sheet steel with flanges welded to upright tube. Color: Parchment



4825 Stainless Steel Moveable Pedestal

Fabricated from 16 gauge stainless steel. Includes holes for permanent achoring to floor. Color: Unpainted



8032 Adjustable Steel Pedestal

With cast aluminum base and concealed anchoring to floor. Color: Parchment



4810 Heavy-Duty **Cast Iron Pedestal**

With 6" diameter top and bottom. Provided with three anchoring holes at top and bottom. Color: Parchment



4820 Aluminum **Moveable Pedestal**

Includes holes for optional permanent anchoring to floor. Color: Parchment



Shown with 4820 Pedestals



Shown with 4810 Pedestals

Benchtop Length	3' - 8'	9' - 14'	15'
Pedestals Required	2	3	4

Note: Benchtop lengths over 15' will be supplied in sections

Locker Benches are 9-1/2" wide x 1-1/4" thick and made from laminated hardwood. They are finished with one coat deep penetrating hot sealer and two coats of heavy body high impact hot hydraulically applied lacquer. Bench tops are standard in one foot increments from 3' thru 15'. Non-standard lengths are available on special order (pedestal requirement will be for next standard size up).

Non-Stock Quick Ship Items - Call for Availability and Lead times.



SAFE-O-MAT® **Built-In Coin, Token and Card** Locks Available in coin

return and coin collect as well as token collect and card access styles



Digilock® KT and **KP Series**

Digital locks allow access using a programmable four-digit code



Digilock® T-Series

Digitally controlled locks allow access by touching a key fob to the lock which automatically unlocks the door.



Hallowell **Digital**

Locks Digital locks allow access using a programmable four-digit code

NOTE: An ADA compliant lock must be used on any locker that is required to meet ADA guidelines

Padlocks, Built-in Locks and Specialty Locks

Hallowell recommends ZEPHYR® locks for use on all of our Lockers.



Zephyr® Built-In Combination Locks Available in spring-bolt and dead-bolt styles, are key controlled and include multiple combination settings



Zephyr® Combination **Padlocks** Available standard and master-keyed, padlocks can be used on all locker types



Zephyr® **Built-In Key** Locks Available in spring-bolt and dead-bolt styles and available standard or master-keyed



Zephyr® 1730 ADA compliant for use on gravity lift-type latches