



SHELF TRUCKS, TABLES AND CARTS

HEAVY DUTY SHELF TRUCKS

RUGGED, MULTI-USE TRUCKS FOR THE SHOP, FACTORY, WAREHOUSE OR SHIPPING ROOM • COMPLETE LINE

MECO OMAHA manufactures a complete line of shelf trucks, platform trucks and service carts to meet nearly all your material handling requirements. These trucks feature all double welded construction and heavy gauge steel shelves for years of industrial

use. **MECO OMAHA** offers one, two, three and five shelf units with a wide choice of casters including rubber, steel, polyolefin, phenolic or full pneumatic on selected models; capacities to 4000 lbs. All models are finished with gray enamel and ship fully assembled.



SPT9R

STEEL PARTS TRUCK

THIS POPULAR MODEL HAS BEEN MANUFACTURED BY MECO OMAHA FOR OVER 40 YEARS

- Trucks roll smoothly on two swivel/two rigid casters welded to truck, plain bore wheels
- Top shelf available with lip down—add suffix “-LD” to model number
- Smooth, round push handle extends the full width of truck for comfortable operation
- 23" clearance between shelves

• 16 GA. HEMMED STEEL SHELVES • 2" DEEP FORMED LIP

MODEL NO.	SHELF SIZE	SHELF HEIGHT	CASTERS	CAPACITY	WEIGHT
SPT7R	16" x 28"	33"	4" Rubber	1,000 lbs	56 lbs
SPT7S			4" Steel		62 lbs
SPT9R	20" x 32"		4" Rubber		66 lbs
SPT9S			4" Steel		72 lbs

• 12 GA. STEEL SHELVES • 2" DEEP FORMED LIPS ARE NOT HEMMED

MODEL NO.	SHELF SIZE	SHELF HEIGHT	CASTERS	CAPACITY	WEIGHT
SPT2436R	24" x 36"	33"	4" Rubber	1,000 lbs	102 lbs
SPT2436S			4" Steel		108 lbs

HUSKY SERVICE TRUCK

- Available with 2 or 3 shelves of 12 ga. steel, 2" lip
- Units will be shipped with shelf lips down. Top and middle shelves available with lip up—add suffix “-LU” to model number
- Welded stiffener bars keep shelves rigid
- Trucks move effortlessly on two swivel/two rigid bolt on casters, roller bearing wheels
- Full width push handle for operating ease



HSC24-24

(Diagram indicates placement of optional third shelf)

HUSKY SERVICE CART

SELECT 2 OR 3 SHELF MODELS ALL WITH 4000 LB CAPACITY

• TWO SHELF MODELS • 23" CLEARANCE BETWEEN SHELVES

MODEL NO.	SHELF SIZE	SHELF HEIGHT	CASTERS	CAPACITY	WEIGHT
HSC24-23	24" x 36"	36"	8" x 2" Phenolic	4,000 lbs	145 lbs
HSC24-24	24" x 48"				169 lbs
HSC24-25	24" x 60"				200 lbs
HSC24-26	24" x 72"				228 lbs
HSC28-24	28" x 48"				185 lbs
HSC28-25	28" x 60"				220 lbs
HSC28-26	28" x 72"				249 lbs
HSC34-24	34" x 48"				208 lbs
HSC34-25	34" x 60"				247 lbs
HSC34-26	34" x 72"				281 lbs

• THREE SHELF MODELS • 10 1/2" CLEARANCE BETWEEN SHELVES

MODEL NO.	SHELF SIZE	SHELF HEIGHT	CASTERS	CAPACITY	WEIGHT
HSC24-33	24" x 36"	36"	8" x 2" Phenolic	4,000 lbs	186 lbs
HSC24-34	24" x 48"				222 lbs
HSC24-35	24" x 60"				271 lbs
HSC24-36	24" x 72"				312 lbs
HSC28-34	28" x 48"				245 lbs
HSC28-35	28" x 60"				298 lbs
HSC28-36	28" x 72"				341 lbs
HSC34-34	34" x 48"				277 lbs
HSC34-35	34" x 60"				337 lbs
HSC34-36	34" x 72"				387 lbs



SHELF TRUCKS, TABLES AND CARTS

STOCK TRUCK

DOUBLE WELDED UNITS OUTLAST AND OUTPERFORM SIMILAR BOLT TOGETHER MODELS

- Smooth 12 ga. steel shelves, 2" upward lip on bottom shelf
- Top shelf available with lip up—add suffix "-LU" to model number
- Rugged 1 $\frac{3}{8}$ " diameter handle extends 9 $\frac{1}{2}$ " above top shelf
- Two swivel/two rigid casters bolted to caster plates, plain bore wheels; 8" full pneumatic wheels have ball bearings

• TWO SHELF MODELS • 19" CLEARANCE BETWEEN SHELVES

MODEL NO.	SHELF SIZE	SHELF HEIGHT	CASTERS	CAPACITY	WEIGHT
ST11-5	24" x 36"	30 $\frac{3}{4}$ "	5" x 1 $\frac{1}{4}$ " Rubber	800 lbs	105 lbs
ST12-5	24" x 48"				126 lbs
ST13-5	30" x 60"				172 lbs
ST11-6	24" x 36"	32 $\frac{1}{4}$ "	6" x 2" Polyolefin	1,200 lbs	116 lbs
ST12-6	24" x 48"				137 lbs
ST13-6	30" x 60"				183 lbs
ST11-8	24" x 36"	34 $\frac{1}{4}$ "	8" x 2" Polyolefin	2,000 lbs	117 lbs
ST12-8	24" x 48"				138 lbs
ST13-8	30" x 60"				184 lbs
ST11-8PN	24" x 36"	34 $\frac{1}{2}$ "	8" Full Pneumatic	1,000 lbs	118 lbs
ST12-8PN	24" x 48"				139 lbs
ST13-8PN	30" x 60"				185 lbs



ST11-5

INSTRUMENT CART

DESIGNED TO REDUCE SHOCK AND VIBRATION FOUND IN OTHER TYPES OF SHELF TRUCKS AND CARTS

- Incorporates all the fine features of the Stock Truck depicted above including two sturdy 12 ga. shelves
- 8" full pneumatic casters with ball bearing wheels and rubber shelf mats combine to cushion delicate instruments and tools
- Top shelf available with lip up—add suffix "-LU" to model number
- The finest instrument cart on the market today

• TWO SHELF MODELS • 19" CLEARANCE BETWEEN SHELVES

MODEL NO.	SHELF SIZE	SHELF HEIGHT	CASTERS	CAPACITY	WEIGHT
IC11-8PN	24" x 36"	34 $\frac{1}{2}$ "	8" Full Pneumatic	1,000 lbs	121 lbs
IC12-8PN	24" x 48"				141 lbs
IC13-8PN	30" x 48"				163 lbs
IC14-8PN	30" x 60"				189 lbs



IC11-8PN

WELDED SERVICE CART

DOUBLE WELDED SERVICE CART BUILT FOR THE ECONOMY-MINDED

- 12 ga. steel shelves have a 2" upward lip—for all lips down add suffix "-LD" to model number
- 5" all-swivel rubber stem casters are non-marking
- Choice of 2 or 3 shelf models
- Ideal for light to medium duty applications

• TWO SHELF MODELS • 23" CLEARANCE BETWEEN SHELVES

MODEL NO.	SHELF SIZE	SHELF HEIGHT	CASTERS	CAPACITY	WEIGHT
WSC1830-2	18" x 30"	35"	5" x 1" Rubber	500 lbs	64 lbs
WSC1836-2	18" x 36"				72 lbs
WSC2436-2	24" x 36"				86 lbs
WSC2448-2	24" x 48"				107 lbs

• THREE SHELF MODELS • 10 $\frac{1}{2}$ " CLEARANCE BETWEEN SHELVES

MODEL NO.	SHELF SIZE	SHELF HEIGHT	CASTERS	CAPACITY	WEIGHT
WSC1830-3	18" x 30"	35"	5" x 1" Rubber	500 lbs	86 lbs
WSC1836-3	18" x 36"				98 lbs
WSC2436-3	24" x 36"				119 lbs
WSC2448-3	24" x 48"				150 lbs



WSC1836-2

(Diagram indicates placement of optional third shelf)



SHELF TRUCKS, TABLES AND CARTS

MOBILE STEEL TABLES IDEAL FOR TRANSFERRING WORK IN-PROCESS FROM ONE LOCATION TO THE NEXT

- Heavy duty steel angle framework and 12 ga. steel shelves with 2" downward lip
- One or two shelves can be field installed on the one shelf model with simple nut and bolt assembly
- Four popular shelf sizes with an option of three bolt-on caster styles; wheels have bearings for smooth operation

• CHOICE OF ONE, TWO OR THREE SHELF MODELS

SHELF SIZE	SHELF HEIGHT	CASTERS	1 SHELF MODEL		2 SHELF MODEL		3 SHELF MODEL	
			MODEL NO.	WEIGHT	MODEL NO.	WEIGHT	MODEL NO.	WEIGHT
24" x 36"	31 1/4"	5" x 2" Mold-On Rubber Two Swivel/Two Rigid 1,400 lbs capacity	5MS243-1	97	5MS243-2	129	5MS243-3	162
24" x 48"			5MS244-1	110	5MS244-2	153	5MS244-3	195
30" x 48"			5MS304-1	124	5MS304-2	174	5MS304-3	224
30" x 60"			5MS305-1	139	5MS305-2	204	5MS305-3	268
24" x 36"	32"	6" x 2" Polyolefin Two Swivel/Two Rigid 2,500 lbs capacity	6MS243-1	94	6MS243-2	126	6MS243-3	158
24" x 48"			6MS244-1	107	6MS244-2	150	6MS244-3	192
30" x 48"			6MS304-1	120	6MS304-2	170	6MS304-3	220
30" x 60"			6MS305-1	136	6MS305-2	200	6MS305-3	264
24" x 36"	34 1/4"	8" Full Pneumatic Two Swivel/Two Rigid 1,000 lbs capacity	8MS243-1	95	8MS243-2	128	8MS243-3	160
24" x 48"			8MS244-1	109	8MS244-2	151	8MS244-3	194
30" x 48"			8MS304-1	122	8MS304-2	172	8MS304-3	222
30" x 60"			8MS305-1	138	8MS305-2	202	8MS305-3	266



8MS244-1
20 3/4" clearance
between shelf and frame



6MS244-2
18 1/2" clearance between shelves



5MS244-3
9 1/2" clearance between top and middle shelf
7" clearance between middle and bottom shelf



OPT2

ORDER PICKING TRUCK

FOR A VARIETY OF ORDER PICKING AND INVENTORY FUNCTIONS

- Both 16 ga. steel shelves have a hemmed 2" upward lip—no sharp edges
- Hefty steel angle frame withstands the rigors of an order picking environment
- Two swivel/two rigid casters are welded to the truck, plain bore wheels
- 12 ga. steel writing area is gusseted for additional strength; 12" x 18" and 12" x 24" surface has a 2" lip to contain work orders, labels, bar code readers, pens and pencils
- Overall height of the unit is 43"

• TWO SHELF MODELS • 26 1/2" CLEARANCE BETWEEN SHELVES

MODEL NO.	SHELF SIZE	SHELF HEIGHT	CASTERS	CAPACITY	WEIGHT
OPT1	18" x 36"	36 1/2"	5" x 1 1/4" Rubber	600 lbs	78 lbs
OPT2	24" x 36"				90 lbs



TC1



TC2

TOOL CART

AN INDISPENSIBLE CART IN FACTORIES, WAREHOUSES, MACHINE SHOPS AND MAINTENANCE DEPARTMENTS

- Three 12 ga. steel shelves provide adequate space for tools and accessories; bottom and middle shelves enclosed by a 2" upward lip—top shelf has one side open
- All-swivel casters for extremely high maneuverability; casters are welded to the cart
- The model TC2 employs an additional top half-shelf for smaller items, clipboards and notebooks; half-shelf increases height to 39 1/2"

• THREE SHELF MODELS • 10 1/2" CLEARANCE BETWEEN SHELVES

MODEL NO.	SHELF SIZE	SHELF HEIGHT	CASTERS	CAPACITY	WEIGHT
TC1	20" x 27"	31 1/2"	3" x 1 1/4" Polyurethane	900 lbs	83 lbs
TC2					98 lbs