Security Accessories and Recommendations

Vertical Security Bar

RB10 Security Panel

RF91




Lock all of the cabinet drawers with one padlock; Safety hasp is located at the top of the bar to facilitate access;

Available to cover overall drawer heights from 24" to 34";

Installs on the right side.

Product #	Height	
RB10-24LPA	24"	
RB10-26LPA	26"	
RB10-30LPA	30"	
RB10-34I PA	34"	



Blocks access between two drawers with locks;

Usable space in cabinet reduced by 1";

Installed between two drawers:

Allows for the cabinet to be divided up for more than one user;

Order by specifying the width and dept. Ex.: RF91-36 24 for a 36" W x 24" D security panel.

P	'n	Ч	п	rt	£

RF91-

Cabinet Lock

True One-Drawer-at-a-Time System







Recommended for mobile

cabinets and cabinets not

anchored to the floor.

Prevents opening several drawers simultaneously. This ensures cabinet stability and protects the users

To retrofit this mechanism, order RB15-XX-XX;

For factory installation, add A to the cabinet housing number; SEE PAGE 42 One kit per cabinet.

Product #	Cabinet Height	
RB15-28-08	28"	
RB15-30-08	30"	
RB15-34-10	34"	
RB15-38-11	38"	



SEE

PAGE 198

Possible to change drawer and roll-out shelf positions; Easy to retrofit;

Order by adding L3 to the cabinet housing number. Ex.: RA30-302758L3;

For replacement parts or to retrofit this mechanism, order RB00-XXXXL3.

Product

L3

KA, KD or MK Cabinet Safety Hasp



Allows user to lock all drawers and roll-out shelves in the cabinet at the same time;

Possible to change drawer and roll-out shelf positions:

Alternative to the RB10 vertical security bar;

Easy to retrofit;

Order by adding LP to the cabinet housing number. Ex.: RA30-302758LP;

For replacement parts or to retrofit this mechanism, order RB00-XXXXLP.

Product #

LP

"R" Double Mobile Cabinet: Appropriate Combination

In order to determine the appropriate cabinet combination, ask yourself the following questions: What is the desired cabinet width and what is the desired capacity? Here are the possibilities:

Standard Double Cabinet

36" Max

RA30


840 lb - dia. 4" 1800 lb - dia. 6"

36" Max


RA30

840 lb - dia. 4" 1800 lb - dia. 6"

Double Cabinet



Side Cabinet



IMPORTANT With or without work surface WS08/14/16/17, RC35/36/37 (4 screws per cabinet).



The height of the cabinet should not exceed 38" in order to assure cabinet stability when it is moved.

For More Information: 866-333-0728 **Custom Equipment Company** Tom McGovern, 866-333-0728 Sales: tom@custommhs.com www.custommhs.com



Hanging Side Cabinet

Hanging Side Cabinet - Side Access



KA, KD or MK

Side housing specifically designed to be installed on the side of RA30 cabinet housing;

Includes one bottom shelf;

Shelves adjustable every 1" c/c;

SH52 dividers can be installed on shelves;

Equipped with holes on the top to allow installation between one common work surface to a RA30 cabinet;

Door opens 180° for full access to items stored inside;

Door comes with standard lock;

Capacity: 600 lb;

Choice of doors. Complete the product number from the chart with the following :

01: Solid door

02 : Polycarbonate door

NOTE


For compatibility with a work surface, choose the part number of a work surface 12" wider than your cabinet. Ex.: RC__-4824 for a mobile 36" W x 24" D cabinet.

	Width x Depth		Number of (RD05)
Height	24" x 14"	27" x 14"	Adjustable Shelves
24"	R5QCA-24	R5QPA-24	-
28"	R5QCA-28	R5QPA-28	1
30"	R5QCA-30	R5QPA-30	1
34"	R5QCA-34	R5QPA-34	1
38"	R5QCA-38	R5QPA-38	2
For cabinet	24" D	27" D	



Hanging Side Cabinet - Front Access

SEE



Side cabinet designed to be installed on the side of RA30 cabinet housing; The shelves are adjustable at every 1" c/c;

SH52 dividers can be installed on both bottom and adjustable shelves;

The roll-out shelf has a capacity of 175 lb, 75% extension;

Equipped with holes on the top to allow installation between one common work surface to a RA30 cabinet;

Door opens 180°, allowing clearance space for easy handling of objects in the cabinet:

Door comes with standard lock;

Capacity: 500 lb;

Choice of configurations. Complete the number:

Bottom shelf (RB23)

and adjustable shelf(ves) (RB22)

03: Solid door

05: Polycarbonate door

Roll-out shelves (RF50)

04: Solid door

06: Polycarbonate door



For compatibility with


a work surface, choose

the part number of a work surface 24" wider

Ex.: RC___-7224 for a mobile 48" W x 24" D

than your cabinet.

cabinet.







	Width x Depth			Number of (RB22)	Number of (RF50)
Height	24" x 18"	24" x 21"	24" x 24"	Adjustable Shelves	Roll-Out Shelves
28"	R5QCC-28	R5QCD-28	R5QCE-28	1	2
30"	R5QCC-30	R5QCD-30	R5QCE-30	1	2
34"	R5QCC-34	R5QCD-34	R5QCE-34	1	2
38"	R5QCC-38	R5QCD-38	R5QCE-38	2	3
For cabinet	18" D	21" D	24" D		<u> </u>

Cabinet Tops

Steel Top with Rubber Mat

RC32 Laminated Wood Top

WS14



Non-slip rubber surface;

Sides and back formed with a double fold: 1" high.



Made from strips of laminated hardwood;

Front 90° rounded edge for added comfort;

Thickness: 1 3/4";

Good impact resistance;

Attractive appearance.

Stainless Steel Top

RC35

Marine Edge Stainless Steel Top

RC35



16 GA stainless steel: RC35-XXXX;

12 GA stainless steel: RC35-XXXX-12;

Serves as a work surface and protects the cabinet against impacts;

Particle board top with stainless steel cover (brushed finish #4);

Excellent corrosion and chemical resistance;

The top respects the CARB regulations on formaldehyde emissions;

Welded corners for attractive look;

Thickness: 1 3/4";

To order a top in 12 GA, complete the product number with $\underline{12}$.



Marine edge 16 GA stainless steel: RC35-XXXX-16M;

Marine edge 12 GA stainless steel : RC35-XXXX-12M;

Prevents small objects or liquids from falling or spilling from the worksurface;

Serves as a work surface and protects cabinet against impacts;

Composite wood top with stainless steel cover (brushed finish #4);

Excellent corrosion and chemical resistance;

The top respects the CARB regulations on formaldehyde emissions;

Welded corners for attractive look;

Thickness: 1 3/4";

Order by specified the steel gauge. Ex. : RC35-XXXX-16M for a marine edge 16 GA stainless steel top.

Painted Steel Top

RC37

Galvanized Steel Top

RC36



Serves as a work surface and protects cabinet against impacts:

Composite wood top with painted steel cover;

The top respects the CARB regulations on formal-dehyde emissions;

Welded corners for attractive look;

Thickness: 1 3/4";



Serves as a work surface and protects the cabinet against impacts;

Composite wood top with galvanized cover;

The top respects the CARB regulations on formal-dehyde emissions;

Thickness: 1 3/4".

NOTE

For compatibility with hanging side cabinet, choose top that is 12" wider than your cabinet for hanging side cabinet-side access, and 24" wider than your cabinet for hanging side cabinet-front access. Ex.: RC__-4824 for a mobile 36" W x 24" D cabinet combined with a cabinet-side access.

Dime	nsions			Туре с	of Top		
w	D	Steel Top with Rubber Mat	Laminated Wood Top	Stainless Steel Top	Marine Edge Stainless Steel Top	Galvanized Steel Top	Painted Steel Top
24"	21"	RC32-2421-01					
	27"	RC32-2427-01					
30"	21"	RC32-3021-01					
	27"	RC32-3027-01	WS14-3027A*	RC35-3027**	RC35-3027M*	RC36-3027	RC37-3027
36"	18"	RC32-3618-01	WS14-3618A*				RC37-3618
	24"	RC32-3624-01	WS14-3624A	RC35-3624**	RC35-3624M*	RC36-3624	RC37-3624
48"	24"	RC32-4824-01	WS14-4824A*	RC35-4824**	RC35-4824M*	RC36-4824	RC37-4824
	27"	RC32-4827-01	WS14-4827A	RC35-4827**	RC35-4827M*	RC36-4827	RC37-4827
60"	24"	RC32-6024-01	WS14-6024A*	RC35-6024**	RC35-6024M*	RC36-6024	RC37-6024
	27"	RC32-6027-01	WS14-6027A*	RC35-6027**	RC35-6027M*	RC36-6027	RC37-6027
72"	24"	RC32-7224-01	WS14-7224A	RC35-7224**	RC35-7224M*	RC36-7224	RC37-7224
	27"	RC32-7227-01	WS14-7227A*	RC35-7227**	RC35-7227M*	RC36-7227	RC37-7227

NOTE * Please check with your customer service representative for lead time.


* * 12 GA only.

Tops Accessories

Foldaway Shelf


RC00 Side and Back Stops for Foldaway Shelf

RC01



Capacity: 50 lb (evenly distributed load);
Rubber mat surface for added protection;
RC01 side stops can be installed as an option.

Product #	WxD	
RC00-151801	15" x 18"	
RC00-152101	15" x 21"	
RC00-152401	15" x 24"	
RC00-152701	15" x 27"	




Use 15" side stop for front and back of shelf;
Use 18", 21", 24" or 27" side stop for the sides;
Height : 1".

Product # Width

Product #	Width	
RC01-15	15"	
RC01-18	18"	
RC01-21	21"	
RC01-24	24"	
RC01-27	27"	

Back and Side Stops

WS18/WS98



Painted steel : WS18;
Stainless steel : WS98;

Can be attached to back or sides according to top dimensions;

Install on WS14, RC35, RC36 and RC37 tops;

Height: 5". Exceeds top by approx. 3 1/4";

To order, complete the part # with steel choice needed.


Product #	Width	
WS2405	24"	
WS2705	27"	
WS3005	30"	
WS3605	36"	


Product #	Width	
WS4205	42"	
WS4805	48"	
WS6005	60"	
WS -7205	72"	



"R" Mobile Cabinet with Smart Compact Mobile "L" Cabinet

In order to determine the appropriate cabinet combination, ask yourself the following questions: What is the desired cabinet width and what is the desired capacity? Here are the possibilities:





IMPORTANT With or without work surface WS08/14/16/17, RC35/36/37 (4 screws per cabinet).



The height of the cabinet should not exceed 40" in order to assure cabinet stability when it is moved.



Housings

"R" Heavy-Duty Cabinet Housing

RA30

Select the best solution from our wide range of possibilities to create your custom storage or work space.

Modular drawers, roll-out shelves, adjustable and bottom shelves can be installed;

Compatible with integrated doors;

- Housings are fitted with knock-outs:
 on the top of the housing for attaching accessories or work surfaces
 on the sides and back for attaching accessories

To order a cabinet lock, complete the product number with L3;


For a safety hasp, complete the product number with LP;

To order a true one-drawer-at-a-time mechanism, complete the product number with A.


To allows user to lock all drawers and roll-out shelves in the cabinet NOTE at same time, complete product number with L3.



24" and 30" Wide



36" Wide



Total

Height

28"

30"

34"

38'

Inside


Height

24"

26"

30" 34"

48" and 60" Wide



Product #

Product #	Total Height	Inside Height
24" × 21"		
RA30-242128_	_ 28"	24"
RA30-242130_	_ 30"	26"
RA30-242134_	_ 34"	30"
RA30-242138_	_ 38"	34"

24" × 27"		
RA30-242728	28"	24"
RA30-242730	30"	26"
RA30-242734	34"	30"
RA30-242738	38"	34"

36" x 18"	
RA30-361828	
RA30-361830	
RA30-361834	
RA30-361838	

Product #

36" × 24"		
RA30-362428	28"	24"
RA30-362430	30"	26"
RA30-362434	34"	30"
RA30-362438	38"	34"

Product #	Height	Height
48" × 24"		
RA30-482428_	_ 28"	24"
RA30-482430_	_ 30"	26"
RA30-482434_	_ 34"	30"
RA30-482438_	_ 38"	34"

Droduct #

48" × 27"		
RA30-482728	28"	24"
RA30-482730	30"	26"
RA30-482734	34"	30"
RA30-482738	38"	34"

Height	Height
_ 28"	24"
_ 30"	26"
_ 34"	30"
_ 38"	34"
_ 28"	24"
_ 30"	26"
_ 34"	30"
	28" _ 30" _ 34" _ 38" _ 28" _ 30"

Total

Incide

30" x 21"

RA30-302128	28"	24"
RA30-302130	30"	26"
RA30-302134	34"	30"
RA30-302138	38"	34"

30" x 27"

00 X 21		
RA30-302728	28"	24"
RA30-302730	30"	26"
RA30-302734	34"	30"
RA30-302738	38"	34"




Braces for **Double Mobile Cabinet**

RA30-602738_

RB86

34"



38'

Come in pairs;

Attach two housings together, 36" wide and under, to form a double mobile cabinet;

All the cabinet tops on page 40 are compatible with double cabinets;

Cabinets are factory installed.

Product

RB86-01

Product #

-2421

-2427-3021

-3027

-3618

Drawers, Roll-out Shelves and Locking or Security Mechanisms

Heavy-Duty Modular Drawer

RF31 / RF35

Heavy-Duty Front Access Roll-Out Shelf

RF40



A lock-in mechanism

(A or B) is mandatory for all mobile applications.

WxD

24" x 21" 24" x 27"

30" x 21"

30" x 27"

36" x 18"

Drawer in painted steel: RF31; Drawer with stainless steel drawer front: RF35; 400 lb capacity, 100% extension;

Heavy-duty construction;

Easy to install:

Vast choice of accessories offered SEE to adapt to your storage needs; Available drawer heights: 3", 4", 5", 6",

7", 8", 9", 10", 12" and 14"

Order by adding the drawer height and the desire locking mechanism to the part # and by specifying the type of drawer front (painted steel or stainless steel). Ex.: RF31-362406 A;

For modular drawers with layouts,		PAGE
Product #	WxD	147-16
RF4824	48" x 24"	
	10" 0""	

Product #	WxD
RF4824	48" x 24"
RF4827	48" x 27"
RF6024	60" x 24"
RF6027	60" x 27"



400 lb capacity, 100% extension;

Heavy-duty construction;

Easy to install;

Painted steel with 3" edges on sides and back;

Height: 6";

Full access to contents;

Order by specifying the type of locking mechanism required. Ex.: RF40-3624A.

Product #	WxD
RF40-2421	24" x 21"
RF40-2427	24" x 27"
RF40-3021	30" x 21"
RF40-3027	30" x 27"
RF40-3618	36" x 18"
RF40-3624	36" x 24"

Product #	WxD	
RF40-4824	48" x 24"	
RF40-4827	48" x 27"	
RF40-6024	60" x 24"	
RF40-6027	60" x 27"	

-3624 36" x 24"

RF44

Heavy-Duty 3-Sided Access Roll-Out Shelf



400 lb capacity, 100% extension;

Heavy-duty construction;

Easy to install:

Galvanized steel with 1 1/2" edge on back;

Height: 5";

May serve as work surface;

Order by specifying the type of locking mechanism required. Ex.: RF44-3624 \underline{A} .


W x D
24" x 21"
24" x 27"
30" x 21"
30" x 27"
36" x 18"
36" x 24"

Drawer Lock

Product #	W x D
RF44-4824_	48" x 24"
RF44-4827_	48" x 27"
RF44-6024_	60" x 24"
RF44-6027_	60" x 27"

Integrated Lock-In Mechanism





out shelf with one hand only; Close by simply pushing it;

Stops drawer and roll-out shelf from opening on their own;

Easy to retrofit;

Order by adding A to the drawer or partitioning model number or roll-out shelf. Ex.: RF31-362406A:

For replacement parts or to retrofit this mechanism, order RY08-XXA.

Product

Econo Lock-In Mechanism



Activated with the right hand by sliding the mechanism with thumb;

Drawer and roll-out shelf close without having to reactivate the slide mechanism;

Stops drawer and roll-out shelf from opening on their own;

Easy to retrofit

Order by adding B to the drawer or partitioning model number or roll-out shelf.

Ex.: RF31-362406B; For replacement parts or to retrofit this mecha-

nism, order RY01-B. Product #

В

Lock-Out Mechanism

KA, KD or MK

RF85



For both drawers and roll-out shelves;

Compatible with all drawer dimensions:

Order by adding L3 to drawer or partitioning

For replacement parts or to retrofit this mecha-

Does not affect usable drawer space;

model number. Ex.: RF31-362406L3:

Easy to retrofit;

Product #

L3

nism, order RY01-L3

Locks drawers and roll-out shelves in open position:

Activated manually, only when required;

Compatible with all accessories drawer;

Plastic bins positioned in the back row, may make it more difficult to activate mechanism

Product

RF85

Handle Protector



Clips onto the drawer and roll-out shelf handle; Made of transparent plastic;

Protects identification labels on drawers and roll-out shelves from dust, grease and other

Easy to remove when required.

	<u> </u>	
Product #	Width	
RF70-24	24"	
RF70-30	30"	
RF70-36	36"	
RF70-48	48"	
RF70-60	60"	


RF70

Adjustable Shelf

RB22 / RB24

Bottom Shelf

RB23/RB25



For storing bulky items;


Has edges along the sides and back to prevent items from falling into the bottom of the cabinet;

Adjustable every 1" c/c;

Up to 400 lb capacity of evenly distributed load;	
SH52 dividers can be installed.	PAGE 14

Product #	WxD	Capacity*
RB22-2421	24" x 21"	200
RB22-2427	24" x 27"	200
RB24-3021	30" x 21"	400
RB24-3027	30" x 27"	400
RB24-3618	36" x 18"	400
RB24-3624	36" x 24"	400
RB24-4824	48" x 24"	400
RB24-4827	48" x 27"	400
RB24-6024	60" x 24"	400
RB24-6027	60" x 27"	400

^{*} in pounds



* For compatibility with double integrated doors, order an adjustable shelf.

*Perforations on top at every 3" c/c for the NOTE insertion of partial dividers SH52.

For storing bulky items;

Has edges along the sides and back to prevent items from falling into the bottom of the cabinet;

Up to 400 lb capacity of evenly	\Box
distributed load;	SEE
SH52 dividers can be installed.	PAGE 14

Product #	WxD	Capacity*
RB23-2421	24" x 21"	200
RB23-2427	24" x 27"	200
RB25-3021	30" x 21"	400
RB25-3027	30" x 27"	400
RB25-3618	36" x 18"	400
RB25-3624	36" x 24"	400
RB25-4824	48" x 24"	400
RB25-4827	48" x 27"	400
RB25-6024	60" x 24"	400
RB25-6027	60" x 27"	400
* in pounds		

in pounds

Mobility

6" Casters **RB84** 4" Casters **RB81**



Sold in pairs;

Choice of 3 types of casters: rigid, swivel, swivel with total-lock brake system (on wheel and swivel);

Capacity: 420 lb per caster;

Total height: 51/4";

Dark gray polyurethane tread does not mark floors. Superior industrial quality casters;

Install directly under cabinet without base.

Product #	Type of Caster
RB81-01	Rigid
RB81-02	Swivel
RB81-03	Swivel with total-lock brake system



Sold in pairs;

Choice of 3 types of casters: rigid, swivel, swivel with total-lock brake system (on wheel and swivel);

Capacity: 900 lb per caster;

Total height: 71/2";

Dark gray polyurethane tread insures silent func-tioning. Superior industrial quality casters;

Install directly under cabinet without base.

Product #	Type of Caster	
RB84-01	Rigid	
RB84-02	Swivel	
RB84-03	Swivel with total-lock brake system	

Extended Base for Casters

RB88



6" Mag Casters

Sold in pairs

Choice of 3 types of casters: rigid, swivel, swivel with total-lock brake system (on wheel and swivel);

RB85

RB92

Aluminium wheel with durable chrome plating;


Capacity: 1000 lb per caster;

Total height: 71/2";

Black high grade polyurethane tread, facilitates movement. Superior industrial quality casters; Install directly under cabinet without base.

Product #	Type of Caster
RB85-01	Rigid
RB85-02	Swivel
RB85-03	Swivel with total-lock brake system


Assures cabinet stability when there are less than 4 drawers and / or when the cabinet load is not equally distributed. (Ex.: 1 drawer with 400 lb. and 3 others with 50 lb.);



Product #	Depth	
RB88-18-05	18"	
RB88-21-05	21"	
RB88-24-05	24"	
RB88-27-05	27"	

Side Handle

RB90



Attaches to the side of single or double cabinets: specify which side (left or right);

Anodized aluminum with durable plastic end

Large handle to make moving cabinet easier.

Product #	Handle Depth	For Cabinet
RB90-18	15"	18" D
RB90-21	18"	21" D
RB90-24	21"	24" D
RB90-27	24"	27" D

Front Handles

Sold in pairs;

Attach to the front of single 24" or 30" wide

Durable plastic. Color: black.

Product # RB92-01

