

WORK CENTER



The Rousseau work center system offers a multitude of possible layouts, thanks to its numerous accessories which allow you to create a work center that responds to your exact needs.

Whether you are installing a workbench for a production or assembly line, or a custom layout for your machine tool workshop, our line of products offers you an impressive selection of accessories that are sure to meet and surpass your expectations. Whether you are looking for a basic workbench with two legs and a top, or a specialized table, stationary or mobile, you will find a solution for each and every application. From shipping and receiving, to your foreman's office, the quality and variety of our product will more than satisfy you.

Moreover, the Rousseau multi-purpose stand presents an immense advantage by being so easy to reconfigure, without tools. It can be changed according to your evolving needs by simply adding accessories.

Rousseau offers you several work surface dimensions for each of the surfaces offered: painted steel, stainless steel, laminated wood, laminated Acrylic/PVC, laminated and dissipative plastic tops. Rousseau, the one-stop solution to simplify your life!

Work Center

For More Information: 866-333-0728

The Rousseau Advantages



Rousseau will meet even your most specific workbench need, from top to bottom.



Re-configuring your workbench is easy and can be done without tools. This means your system will evolve with you and your needs.



Our impressive array of standard accessories allows you to build a custom bench.




The WM structure can be installed on most industrial workbenches on the market. The six fixing zones mean limited interference and endless possibilities.



Many of our workbenches can be made mobile in order to better meet your needs.


General Dimensions

Components and accessories are divided into 3 groups and correspond to the principle workstation zones.





LC3010C


Index	Page(s)
Work Center	96 - 97
Proposals	98 - 105
Components	
- work surface	106 - 107
- structure under the work surface	108 - 119
- structure above the work surface	120 - 132
- specialized structure for technician	133 - 135
- 5S storage	136 - 137
Multi-Purpose Stand	138
Proposals	139 - 140
Components	141




NOTE *Extensions offered for other heights












Workbench with Compact Cabinet





This table can be made mobile.



Dir	nensi	ons	Type of Top			
W	D	Н	Painted steel	Lam. wood	Plastic lam.	Acrylic/PVC
60"	30"	34"	L_1101C	L2101C	L3101C	L9101C
72"	30"	34"	L1102C	L2102C	L3102C	L9102C
72"	36"	34"	LH1103C	LH2103C	LH3103C	LH9103C

To order, complete part number according to the following:

G for a stationary bench with 21" deep cabinet (for 30" D benches only);

NOTE

- **H** for a stationary bench with 27" deep cabinet (for 30" D and 36" D benches only);
- J for a mobile bench.

1	top	of	your	choice;
---	-----	----	------	---------

1-27" D x 32" H leg;

1 "L" compact cabinet with 4" base;

1 pair of cabinet attachment bars.

Mobile model (total height 35") includes the following additional accessories:

1 base for casters for compact cabinet;

1 pair of caster adaptors for leg;

1 pair of 4" rigid casters;

1 pair of 4" swivel casters with total-lock brake;

1 footrest.

Note: Cabinet base not included with mobile model.

Workbench with Two Compact Cabinets



LG2201C



7" deep cabinets are recommended for mobile workstations or workstations with multi-purpose frames.

Dir	nensio	ons	Type of Top			
W	D	Н	Painted steel	Lam. wood	Plastic lam.	Acrylic/PVC
60"	30"	34"	L_1201C	L2201C	L3201C	L9201C
72"	30"	34"	L1202C	L2202C	L3202C	L9202C
72"	36"	34"	LH1203C	LH2203C	LH3203C	LH9203C

To order, complete part number according to the following:

G for a stationary bench with 21" deep cabinet

NOTE (for 30" D benches only);

H for a stationary bench with 27" deep cabinet (for 30" D and 36" D benches only);

NOTE These models cannot be used in mobile applications.

1 top of your choice;

2 "L" compact cabinets with 4" bases;

2 pairs of cabinet attachment bars.

Workbench with Suspended Compact Cabinet



NOTE capacity of 50 lbs per drawer in a suspend cabinet application using RA70.

Maximum

Dir	nensio	ons	Type of Top			
W	D	Н	Painted steel	Lam. wood	Plastic lam.	Acrylic/PVC
60"	30"	34"	LG1001	LG2001	LG3001	LG9001
72"	30"	34"	LG1002	LG2002	LG3002	LG9002
72"	36"	34"	LG1003	LG2003	LG3003	LG9003

NOTE These models cannot be used in mobile applications.

1 top of your choice; 2-27" D x 32" H legs; 1 stringer; 1-21" deep "L" compact cabinet;
1 pair of cabinet attachment bars.




For More Information: 866-333-0728

Desk with Compact Cabinet



LG3107



Dimensions			Type of Top		
W	D	Н	Painted steel	Lam. wood	Plastic lam.
60"	30"	30"	LG1107	LG2107	LG3107
72"	30"	30"	LG1108	LG2108	LG3108
72"	36"	30"	LH1109	LH2109	LH3109

1	top	OŤ	vour	cho	nce:

1	-27"	D	x	28"	Н	closed	lec
- 1	-61	$\boldsymbol{\nu}$	$^{\sim}$	20	11	UUSUU	160

1 "L" compact cabinet of 21" D;

1 pair of cabinet attachment bars.

These models cannot be used in mobile applications. NOTE

Workbench with Heavy-Duty Cabinets



Dreduct # W.v.D.v.U	
1 heavy-duty cabinet with partitioning	R5ACG-3013
1-27" D x 32" H leg	WS20-2732
1 laminated wood top	WS14-6030A

Product #	$\mathbf{W} \times \mathbf{D} \times \mathbf{H}$	
R5WH5-2007	60" x 30" x 34"	

NOTE This model cannot be used in mobile applications.



1 laminated woo	WS14-7230A	
1 heavy-duty cal	R5ACG-3013	
1 heavy-duty cal	binet with partitioning	R5ACG-3015
Product #	$\mathbf{W} \times \mathbf{D} \times \mathbf{H}$	
R5WL5-2001	72" x 30" x 34"	

NOTE This model cannot be used in mobile applications.



1 laminated woo	od top	WS14-6027A
1 heavy-duty ca	binet with partitioning	R5ACG-3013
1 heavy-duty cal	binet with partitioning	R5ADG-5827
1 side bracket fo	or top	RA73-02
Product #	$\mathbf{W} \times \mathbf{D} \times \mathbf{H}$	
R5WH4-2001	90" x 27" x 60"	

NOTE This model cannot be used in mobile applications.



Basic Electronic Workbench





Dimensions		ons		Type of Top	
W	D	Н	Laminated wood	Plastic laminated	Dissipative*
60"	30"	34"	WSA2073	WSA3073	WSA4073*
72"	30"	34"	WSA2074	WSA3074	WSA4074*
72"	36"	34"	WSA2075	WSA3075	WSA4075*

1 top of your choice;

2-27" D x 32" H legs;

1 back stop;

1 stringer:

1 pair of risers with electrical outlets on both sides;

1-12" D shelf, same material as top;

1 shelf back.

* Models with dissipative tops come with:

1 grounding block;

1 grounding cord and 1 ground wrist strap.

SEE PAGE 122

Electronic Workbench with Cabinet





Dimensions		ons		Type of Top		
W	D	Н	Laminated wood	Plastic laminated	Dissipative* LG4104C*	
60"	30"	34"	LG2104C	LG3104C		
72"	30"	34"	LG2105C	LG3105C	LG4105C*	
72"	36"	34"	LH2106C	LH3106C	LH4106C*	

1 top of your choice;

1-27" D x 32" H leg;

1 "L" compact cabinet with 4" base;

1 back stop;

1 pair of risers with electric outlets on both sides;

1-12" D shelf, same material as top;

1 shelf back;

1 pair of cabinet attachment bars.

* Models with dissipative tops come with:

NOTE 1 grounding block;

1 grounding cord and 1 ground wrist strap.

Adjustable Workbench



	Dimensions W D H			Туре	of Top	
W			Painted steel	Lam. wood	Plastic lam.*	Dissipative**
60"	30"	30" to 42"	WSA1050	WSA2050	WSA3050*	WSA4050**
72"	30"	30" to 42"	WSA1051	WSA2051	WSA3051*	WSA4051**
72"	36"	30" to 42"	WSA1052	WSA2052	WSA3052*	WSA4052**

* 725 lb capacity.

2 leg crossbars

NOTE

1 top of your choice;

2-27" D x 27" H open legs for lift system;

1 hydraulic lifting system; Anti-skid leveling glides;

12" vertical adjustement (30" - 42");

1-17" high stringer;

Compatible with WM accessories;

System capacity: 825 lb.

NOTE These models cannot be used in mobile applications.

** Models with dissipative tops come with:

1 grounding block;

1 grounding cord and 1 ground wrist strap.

Leg height is 28" and top thickness is 1 3/4".

SEE PAGE 122

Wall-Mounted Workbench with Wall Cabinet



Dimensions		nsions		Type of Top		
W D 60" 30"		D	Painted steel	Laminated wood	Plastic laminated	
		30"	R5WH5-1010 R5WH5-2010		R5WH5-3010	
1 top of your choice;			hoice;	1 shelf	WS50-6012	
2 legs WS95-2428		2 wall cabinets	R5MDA-3003			

WS96-24

For More Information: 866-333-0728

Workstations - Tables and Multi-Purpose Frames

Basic Workstation WSC0133

Better organization with the help of Rousseau accessories.



1 WM single unit frame	WM11-2848
2 tiltable shelves	WM20-2812
2 plastic bin rails	WM28-2801
1 vertical adaptor for electrical and air outlets	WM41-01
1 power outlet strip	70000505
6 partial dividers	SH52-1206
5 plastic bins	RG20-040303
2 open legs	WS20-2732
1 stringer	WS22-6005
1 painted steel top	WS10-6030

Product #	$\mathbf{W} \times \mathbf{D} \times \mathbf{H}$	
WSC0133	60" x 30" x 80"	

Packaging Station WSM0006




All the right accessories for a packaging station, with a spool support under the table.

2 multi-purpose uprights	WM10-48
2 steel shelves	WS50-6012
2 structural shelf supports	WM27-1201
6 sliding dividers	WS87-1210
1 vertical adaptor for electrical and air outlets	WM41-01
1 power strip	70000505
1 document holder with arm	WM70-01
2 open legs	WS20-2732
1 stringer	WS22-6005
1 laminated wood top	WS14-6030A

1 paper and ca support	rdboard spool	WS86-60
2 leg crossbars	3	WS24-27
Product #	$\mathbf{W} \times \mathbf{D} \times \mathbf{H}$	
WSM0006	60" x 30" x 80"	

SOLD SEPARATEL	Y	
Packaging shear cutter	WM87-01	SEE PAGE
		110

End-of-Aisle Workstation WSM0017



Perfect for consulting information close to stored materials.

2 closed legs	WS25-2732
1 laminated wood top	WS14-3630A
1 WS90-01 sliding keyboard tray or adjustable keyboard tray (except o model without keyboard tray)	
1 single unit frame	WM11-2848
2 tiltable shelves	WM20-2812
6 partial dividers	SH52-1206
1 power strip	7000505
1 vertical adaptor for electrical and outlets	WM41-01
1 document holder with arm	WM70-01
1 tackboard / marker panel	WM54-2424
1 panel bracket kit	WM50-01

Product #	Type of Keyboard Tray	$\mathbf{W} \times \mathbf{D} \times \mathbf{H}$
WSM0016	WS90-01 sliding tray	36" x 30" x 80"
WSM0017	WS90-02 adjustable tray	36" x 30" x 80"
WSM0018	Model without tray	36" x 30" x 80"



IMPORTANT

An ergonomic chair and footrest are recommended for this type of workstation.



Components – Work Surfaces

Work Surfaces

Painted Steel Top

WS10 Stainless Steel Top



Top for industrial, maintenance, repair or assembly applications;

Thickness: 1 3/4";

2 steel crossbars for attaching legs;

3 wood crossbars (2" x 4") for attaching cabinets and

May be reinforced or soundproofed with a WS75 wood filler;

Excellent impact resistance;

Powder paint.



Top for industrial, maintenance, repair or assembly applications or when solvents, oils or other chemical products are being used;

Thickness: 1 ¾". 12 gauge steel;

Brushed finish #4, attractive appearance;

2 steel crossbars for attaching legs;

3 wood crossbars (2" x 4") for attaching cabinets and

May be reinforced or soundproofed by adding a WS75 wood filler;

Excellent corrosion resistance;

Excellent chemical resistance (can be in prolonged

contact with a substance);

Note: The RC35 top is also compatible with the fixed workstations (not recommended for mobile applications), see page 11.

Laminated Wood Top

WS14



Top for general industrial applications;

Thickness: 1 3/4":

Made with varnished hardwood slats;

90° radius front edge for more comfort;

Good impact resistance;

Attractive appearance

Plastic Laminated Top

WS16



Top for general applications. Ideal for assembly, quality control and packaging applications;

Thickness: 1 1/2":

Color: White;

Attractive appearance;

Easy to clean;

90° radius front edge for more comfort.

Please refer to W54 tech sheet for capacity according to configuration. Available on Multi Tool CD.

Resistant Acrylic / PVC Plastic Laminated Top *WS08*



Ideal for assembly stations or for applications using solvents, oils or other chemical products;

Thickness: 1 1/2";

Color: Grav:

Core made of particle board;

Finish: sheet of gray polymer;

Deluxe quality laminated top;

Excellent chemical product resistance (can be in prolonged contact with a substance);

Superior abrasion resistance compared to standard laminated top:

Superior impact resistance compared to standard laminated top;

Attractive appearance.

Dissipative Top

WS17



Top for electronics applications. Ideal for assembly or electronics inspection stations;

Thickness: 1 1/2";

Color: White;

Attractive appearance:

Easy to clean;

90° radius front for more comfort;

Dissipates electric charges that can damage electronic

Resistance point to point and point to ground between 10 6 and 10 9 $\Omega.$

The 21" deep cabinets are compatible with the 24" WS10/12 tops.

NOTE The 21" deep cabinets are not compatible with the 30" and 36" WS10/12 tops.

The 27" deep cabinets are compatible with the 30" and 36" WS10/12 tops.

Dimensions			Type of Top			op		
W	D	Acrylic/PVC Plastic Laminated	Painted Steel	Stainless Steel	Laminated Wood	Plastic Laminated	Dissipative	
36"	24"				WS14-3624A	WS16-3624A*		
	30"				WS14-3630A	WS16-3630A*		
48"	24"	WS08-4824A*	WS10-4824	WS12-4824 *	WS14-4824A	WS16-4824A*	WS17-4824A*	
	30"	WS08-4830A*	WS10-4830	WS12-4830 *	WS14-4830A	WS16-4830A	WS17-4830A*	
	36"	WS08-4836A*	WS10-4836	WS12-4836 *	WS14-4836A*	WS16-4836A*	WS17-4836A*	
60"	24"	WS08-6024A*	WS10-6024	WS12-6024 *	WS14-6024A	WS16-6024A	WS17-6024A*	
	30"	WS08-6030A	WS10-6030	WS12-6030 *	WS14-6030A	WS16-6030A	WS17-6030A	
	36"	WS08-6036A*	WS10-6036	WS12-6036 *	WS14-6036A	WS16-6036A	WS17-6036A*	
72"	24"	WS08-7224A	WS10-7224	WS12-7224 *	WS14-7224A	WS16-7224A	WS17-7224A*	
	30"	WS08-7230A	WS10-7230	WS12-7230 *	WS14-7230A	WS16-7230A	WS17-7230A	
	36"	WS08-7236A	WS10-7236	WS12-7236 *	WS14-7236A	WS16-7236A	WS17-7236A	

NOTE *Please check with your customer service representative for lead time.